iVAC 2L Academy Circulatory System






Theory of the Circulatory system

Humans have a closed circulatory system, typical of all vertebrates, in which blood is confined to vessels and is distinct from tissue cells

The heart pumps blood into large vessels that branch into smaller ones leading into the organs

Materials are exchanged by diffusion between the blood and the tissue cells






Cardiac Cycle

The heart consists of two pumps that work together, right and left half

Repetitive contraction (systole) and relaxation (diastole) of heart chambers

Blood moves through circulatory system from areas of higher to lower pressure


 Contraction of heart produces the pressure





Functions of the Heart

- Generating blood pressure
- Routing blood
 - Heart separates pulmonary and systemic circulations
- Ensuring one-way blood flow
 - Heart valves ensure one-way flow
- Regulating blood supply
 - Changes in contraction rate and force match blood delivery to changing metabolic needs






Events during Cardiac Cycle

The cardiac cycle involves four major stages of activity

- Isovolumic relaxation
- Inflow
- Isovolumic contraction
- Ejection

Blood is allowed to enter relaxed ventricle chamber from vein through venous valve


Heart muscle contracts ventricle and blood is expelled through the atrial valve to artery






Theory of counterpulsation





The primary goal of Counterpulsation Therapy is to balance supply and demand of oxygen





Oxygen Supply/ Demand - Diastolic Time/Pressure and Heart rate

Diastolic Phase 60 BPM

Diastolic Phase 130 BPM



Decreased diastolic filling time = decreased stroke volume
Decreased diastolic pressure = decreased myocardial oxygen supply
Increased heart rate = increased demand for myocardial oxygen

Oxygen Demand - Afterload (Left Side)

Resistance left ventricle has to overcome to eject blood from heart

- Measured by Systemic Vascular Resistance (SVR)
 - Normal values: 900 1400 dyn-s/s/cm⁻⁵





Oxygen Demand - Preload (Left Side)

Volume of blood in left ventricle at end of diastole, creating a "stretch" in muscle fibers

Measured by Pulmonary Artery Wedge Pressure (PAWP)
– Normal values: 4-12mmHg






Oxygen Demand - Contractility


Ability of muscle fibers to contract in order to eject blood into the circulation

- Measured by Ejection Fraction (EF)
 - Normal values: 60% 75%





What does the heart do? – PV LOOP



- PE= Potential energy
- EW= Extra Work
- ESPVR= end-systolic pressure-volume relationship



Thank you for Listening

Pulse

